

BIRCH, STEWART, KOLASCH & BIRCH, LLP

TERRELL C. BIRCH
RAYMOND C. STEWART
JOSEPH A. KOLASCH
JAMES M. SLATTERY
BERNARD L. SWEENEY*
MICHAEL K. MUTTER
CHARLES GORENSTEIN
SERALD M. MURPHY, JR.
LEONARD R. SVENSSON
TERRY L. CLARK
ANDREW D. MEIKLE
MARC S. WEINER
SOE McKinNEY MUNCY
ROBERT J. KENNEY
DONALD J. DALEY
JOHN W. BAILEY
JOHN A. CASTELLANO, III
OF COUNSEL:
HERBERT M. BIRCH (1905-1991)
ELLIOT A. GOLDBERG*
WILLIAM L. GATES*
EDWARD H. VALANCE
RUPERT J. BRADY (RET.)*
*ADMITTED TO A BAR OTHER THAN V.

**INTELLECTUAL PROPERTY LAW
8110 GATEHOUSE ROAD
SUITE 500 EAST
FALLS CHURCH, VA 22042-1210
USA**

(703) 205-8000

FAX: (703) 205-8050
(703) 698-8590 (G IV)

e-mail: mailroom@bskb.com
web: <http://www.bskb.com>

CALIFORNIA OFFICE
650 TOWN CENTER DRIVE, SUITE 1120
COSTA MESA, CA 92626-7125
(714) 708-8555
FAX: (714) 708-8565

GARY D. YACURA
THOMAS S. AUCHTERLONIE
MICHAEL R. CAMMARATA
JAMES T. ELLER, JR.
SCOTT L. LOWE
MARY ANN CAPRIA
MARK J. NUELL, PH.D.
DARIN E. BARTHOLOMEW*
D. RICHARD ANDERSON
PAUL C. LEWIS
W. KARL RENNER

REG. PATENT AGENTS:
FREDERICK R. HENDREN
ANDREW J. TELEZ, JR.
MARYANNE LIOTTA, PH.D.
MAKI HATSUMI
MIKE S. RYU
CRAIG A. McROBBIE
GARTH M. DAHLEN, PH.D.
LAURA C. LUTZ
ROBERT E. GOOZNER, PH.D.
HYUNG N. SOHN
MATTHEW J. LATTIG
ALAN PEDERSEN-GILES

Date: November 2, 1999
Docket No.: 0879-0242P

690 U.S. PRO
09/432087
11/02/99

Assistant Commissioner for Patents
Box PATENT APPLICATION
Washington, D.C. 20231

Sir:

Transmitted herewith for filing is the patent application of

Inventor(s) : MISAWA, Takeshi

ARRANGEMENT OF CARD SLOT IN LAPTOP COMPUTER

Enclosed are:

A specification consisting of 11 pages

5 sheet(s) of Formal drawings

An assignment of the invention

Certified copy of Priority Document(s)

Executed Declaration Original Photocopy

A verified statement to establish small entity status under 37 CFR 1.9 and 37 CFR 1.27

Preliminary Amendment

Information Disclosure Statement, PTO-1449 and reference(s)

Other

The filing fee has been calculated as shown below:

		LARGE ENTITY		SMALL ENTITY		
FOR	NO. FILED	NO. EXTRA	RATE	Fee	RATE	Fee
BASIC FEE	***** ***** *****	***** ***** *****	***** ***** *****	\$760.00	or	***** ***** *****
TOTAL CLAIMS	12 - 20 =	0	x18 = \$	0.00	or	x 9 = \$ 0.00
INDEPENDENT	1 - 3 =	0	x78 = \$	0.00	or	x 39 = \$ 0.00
MULTIPLE DEPENDENT CLAIM PRESENTED	<u>no</u>		+260 = \$	0.00	or	+130 = \$ 0.00

TOTAL \$ 760.00

TOTAL \$ 0.00

A check in the amount of \$ 800.00 to cover the filing fee and recording fee (if applicable) is enclosed.

Please charge Deposit Account No. 02-2448 in the amount of \$_____. A triplicate copy of this transmittal form is enclosed.

No fee is enclosed.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 02-2448 for any additional fees required under 37 C.F.R. 1.16 or under 37 C.F.R. 1.17; particularly, extension of time fees.

Respectfully submitted,

BIRCH, STEWART, KOLASCH & BIRCH, LLP

BY MICHAEL K. MUTTER
Reg. No. 29,680
P. O. Box 747
Falls Church, Virginia

(703) 205-8000
MKM/sas

ARRANGEMENT OF CARD SLOT IN LAPTOP COMPUTER

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates generally to notebook or laptop computers, and more particularly to the arrangement of a card slot, which accepts compatible cards for enhancing the computer's functions.

Description of Related Art

Shown in Fig. 8 is a conventional laptop computer 80. A display unit 84 is openably attached to a base unit 82 through a connection part 85. A keyboard 86 as an input device is provided at the top part of the base unit 82, and a display 88 is contained in the display unit 84. Such a laptop computer normally has a PC card slot 90 confirming the Personal Computer Memory Card International Association (PCMCIA) standard arranged at the side of the base unit 82. The PC card slot 90 is an externally accessible expansion slot to accept a compatible card or a PC card (a small, removable, externally accessible circuit board housing a device such as a modem or disk drive) for enhancing the computer's functions.

Some types of cards protrude from the PC card slot 90, and the card protruding from the PC card slot 90 obstructs the operation of the keyboard 86 and makes it difficult to handle the card since the PC card slot 90 is arranged near the keyboard 86. Shown in Fig. 9 is the laptop computer 80 with a radio wave communication card 92 in the PC card slot 90. United States Patent No. 5,684,672 pointed out that an antenna 93 extending from the side of the base unit 82 can be shadowed by the ground plane of the display 88 decreasing

transmission efficiency, and it proposed to a laptop computer with an antenna attached to its cover in order to prevent the transmission efficiency from being lowered. This is, however, complicated and requires much cost.

On the other hand, Japanese Provisional Publication No. 8-153175 proposed a camera card to be inserted into the PC card slot, but if such a PC card type camera is used for the conventional laptop computer, it is difficult to fix the camera and the attached cable is obstructive. If a PC card type electronic camera 95 without a cable is inserted into the PC card slot 90 as shown in Fig. 10, an image pickup part 96 is positioned near the keyboard 86. In this case, the image pickup part 96 is shadowed by the hand of the operator, and this is very inconvenient. For this reason, the conventional laptop computer 80 cannot realize a TV conference system, or the like.

SUMMARY OF THE INVENTION

It is an object of the present invention to provide a personal computer that does not obstruct the operation thereof even if a card inserted in a PC card slot or if a cable, or the like is attached to the card.

To achieve the above-mentioned object, the present invention is directed to a personal computer, comprising: a base unit; an input part arranged on the base unit, the input part having an operation face; a display unit having a display face, the display unit being operatively interconnected to the base unit in a state that the display face forms an angle less than 180° with the operation face when the personal computer is in use; and a chamber capable of accepting an external device enhancing a function of the personal computer, the chamber being arranged in the display unit.

According to the present invention, the display unit containing the display is operatively interconnected to the base unit in the state that the display

face forms an angle less than 180° with the operation face of the input part when the personal computer is in use. The chamber or a card slot is formed in the display unit, and the external device or a card is positioned away from the input part or a keyboard. Consequently, the card inserted into the card slot does not 5 obstruct the input operation, and the like.

Particularly, a wireless communication device, which transmits and receives signals in a predetermined method using radio waves or light, can be arranged at a higher position than the base unit of the personal computer, and this improves the signal transmission efficiency. Moreover, the image pickup part can be arranged at a higher position than in the conventional laptop computer, it is easier to image a person who is operating the personal computer.

Preferably, a cutout part or a transparent part is formed in the display unit so that whether a card is inserted or not can be determined by seeing through the cutout part or the transparent part.

In this specification, the "laptop computer" is the general term of a small-sized portable personal computer such as a notebook personal computer, a mobile personal computer and a portable digital assistant (PDA).

BRIEF DESCRIPTION OF THE DRAWINGS

The nature of this invention, as well as other objects and advantages 20 thereof, will be explained in the following with reference to the accompanying drawings, in which like reference characters designate the same or similar parts throughout the figures and wherein:

Fig. 1 is a perspective view showing the operable state of a laptop computer according to the first embodiment of the present invention;

25 Fig. 2 is a perspective view showing the closed state of the laptop computer in Fig. 1;

Fig. 3 is a perspective view of the laptop computer with a wireless communication card in a PC card slot;

Fig. 4 is a perspective view of the laptop computer with a PC card camera in the PC card slot;

5 Fig. 5 is a perspective view showing a laptop computer according to the second embodiment of the present invention;

Fig. 6 is a perspective view showing a laptop computer according to the third embodiment of the present invention;

10 Fig. 7 is a perspective view showing the essential parts of the display unit according to another embodiment of the present invention;

Fig. 8 is a perspective view showing an example of the conventional laptop computer;

15 Fig. 9 is a view showing an example in which a radio wave communication card is inserted in a PC card slot of the conventional laptop computer; and

Fig. 10 is a view showing an example in which a PC card-type camera is inserted into a PC card slot of the conventional laptop computer.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

20 This invention will be described in further detail by way of example with reference to the accompanying drawings.

Figs. 1 and 2 are perspective views showing a laptop computer 10 according to the first embodiment of the present invention. Fig. 1 shows the laptop computer 10 that is being in use, and Fig. 2 shows the laptop computer 10 in not use or a closed state. As shown in Figs. 1 and 2, the laptop computer 10 comprises a base unit 12 and a display unit 14, which is connected to the base unit 12 through a connection part such as a hinge mechanism (not shown).

The base unit 12 contains a memory, a hard disk, a central processing unit (CPU), and the like (not shown). An input part or a keyboard 16 is provided at the top part of the base unit 12. An input device such as a trackpad, a trackball and a joystick may be provided in addition to or instead of the keyboard 16.

A flat display 18 such as a liquid crystal display (LCD) is incorporated in the display unit 14. When the laptop computer 10 is in use, the display unit 14 is opened so that the face of the flat display 18 forms a desirable angle, which is preferably an obtuse angle or the right angle, with the operation face of the keyboard 16. When the laptop computer 10 is not in use, the display unit 14 is closed over the operation face of the keyboard 16 with the face of the display 18 being inward (see Fig. 2). In Fig. 2, the top face of the base unit 12 is entirely closed with the display unit 14. However, a part of the top face of the base unit 12 may remain exposed when the display unit 14 is closed.

The display unit 14 has a chamber or PC card slot 20, which opens at a top (in the opened state) side of the display unit 14. A PC card or a variety of external devices (hereinafter referred to as cards) enhancing functions of the laptop computer 10 can be accepted in the PC card slot 20 from above in Fig. 1.

A description will now be given of the operation of the laptop computer

20 10.

Fig. 3 shows an example wherein a radio wave communication card 24 is mounted in the laptop computer 10 in Fig. 1. The wireless communication card 24 is shaped in such a manner as to be mounted in the PC card slot 20. The radio wave communication card 24 is inserted in the PC card slot 20 so that an antenna part 25 can be arranged almost vertically at a higher position than the display 18. The laptop computer 10 of this embodiment has the PC card slot 20 at the display unit 14, and therefore, the radio wave communication card 24 can be located at a suitable position for the transmission and reception of radio

waves.

Likewise, if an infrared network communication card, which is not provided with the antenna part 25, is mounted in the PC card slot 20, an infrared signal transmission/reception part can be arranged at a higher position than the display 18. This improves the transmission and reception efficiency of the infrared signals.

Fig. 4 shows an example wherein a PC card camera 30 is mounted in the laptop computer 10 in Fig. 1. The PC card camera 30 is shaped in such a manner as to be mounted in the PC card slot 20. By inserting the PC card camera 30 into the PC card slot 20, an image pickup part 31 is arranged at a higher position than the display 18. As is the case with a well-known electronic camera, the image pickup part 31 comprises a taking lens, an imaging device such as a CCD, and a signal processing circuit. Therefore, it is easy to capture an image of a person who is operating the laptop computer 10, and the laptop computer 10 is applicable to a TV conference system, or the like.

A description will be given of a modified example of this embodiment.

In the first embodiment described with reference to Figs. 1-4, the PC card slot 20 is arranged at substantially the center of the top side of the display unit 14, but the present invention should not be restricted to this.

For example, if the display 18 is smaller than the display unit 14 as in the second embodiment in Fig. 5, the PC card slot 20 may be arranged at the right side (or the left side) of the display 18 in order to prevent the PC card slot 20 and the display 18 from overlapping. This reduces the thickness of the display unit 14, and eliminates the unevenness of the outer surface of the display unit 14 shown in Fig. 2.

Although the PC card slot 20 may be arranged at either right or left of the display 18, it is preferable to provide the PC card slot 20 at the right side of the display 18 as shown in Fig. 5 since the majority of operators are right-handed.

Fig. 6 shows the third embodiment of the present invention. As shown in Fig. 6, the PC card slot 20 may be provided at the right side (or the left side) of the display unit 14 so that the cards (not shown in Fig. 6) can be inserted from the right side (or the left side) of the display 18. Of course, it is possible to provide the PC card slot 20 at an arbitrary height at either the right or left side of the display unit 14.

Although not illustrated in the drawing, if the display 18 is relatively small as described with reference to Fig. 5, the PC card slot 20 is arranged at the lateral side of the display unit 14 in such a manner that the PC card slot 20 and the display 18 do not overlap each other. This reduces the thickness of the display unit 14.

It is preferable to provide a cutout part or an opening 34 in the reverse side of the display 18 as shown in Fig. 7. Whether the card is inserted or not and which type of the card is currently used can be checked through the opening 34. A transparent window may be provided instead of the opening 34. If, however, the opening 34 is formed as shown in Fig. 7, a PC card type personal digital assistant (PDA) inserted in the PC card slot 20 can be operated directly while watching the display of the PDA.

The display unit 14 is hinged to the base unit 12 in the above-described embodiments, but the display unit 14 may also be detachable from the base unit 12. In this case, a suitable connecting structure should be provided to connect the display unit 14 to the base unit 12 in the state that the face of the display 18 forms a desirable angle less than 180° with the operation face of the keyboard 16 when the laptop computer 10 is in use.

Alternatively, the display unit 14 may be rigidly joined to the base unit 12 in the state that the face of the display 18 forms a desirable angle less than 180° with the operation face of the keyboard 16. In this case, the display unit 14 cannot serve as a cover; however, the arrangement of the PC card slot 20

according to the present invention is still effective since the PC card slot 20 can be located at a higher position than the base unit 12.

As set forth hereinabove, in the laptop computer of the present invention, the PC card slot is arranged in the display unit containing the display therein.

5 Therefore, even if the card inserted in the PC card slot protrudes from the PC card slot, or if a cable, an antenna, etc. is attached to the card, the operation of the keyboard is not obstructed by the protruding card, cable, antenna, etc., so that the laptop computer can be used efficiently. Moreover, even if the card inserted in the PC card slot includes a camera, wireless communication device, etc., the operation of the card is not obstructed by the hands of the operator.

It should be understood, however, that there is no intention to limit the invention to the specific forms disclosed, but on the contrary, the invention is to cover all modifications, alternate constructions and equivalents falling within the spirit and scope of the invention as expressed in the appended claims.

WHAT IS CLAIMED IS:


1. A personal computer, comprising:
 - a base unit;
 - an input part arranged on the base unit, the input part having an operation face;
 - a display unit having a display face, the display unit being operatively interconnected to the base unit in a state that the display face forms an angle less than 180° with the operation face when the personal computer is in use; and
 - a chamber capable of accepting an external device enhancing a function of the personal computer, the chamber being arranged in the display unit.
2. The personal computer as defined in claim 1, wherein the display unit is capable of closing the display face when the personal computer is not in use.
3. The personal computer as defined in claim 1, wherein the display unit is capable of closing the operation face when the personal computer is not in use.
4. The personal computer as defined in claim 1, wherein the display unit is hinged to the base unit.
5. The personal computer as defined in claim 1, wherein the display unit is rigidly joined to the base unit in the state that the display face forms the angle less than 180° with the operation face.
6. The personal computer as defined in claim 1, wherein the chamber opens at a top side of the display unit.

7. The personal computer as defined in claim 1, wherein the chamber opens at a lateral side of the display unit.
8. The personal computer as defined in claim 1, wherein the display unit comprises at least one of a cutout part and a transparent part so that whether the external device is inserted in the chamber can be determined by seeing through the at least one of the cutout part and the transparent part.
9. The personal computer as defined in claim 1, wherein the input part comprises at least one of a keyboard, a trackpad and a trackball.
10. The personal computer as defined in claim 1, wherein the chamber and the external device confirm the Personal Computer Memory Card International Association standard.
11. The personal computer as defined in claim 1, wherein the external device comprises a camera.
12. The personal computer as defined in claim 1, wherein the external device comprises a wireless communication device.


ABSTRACT OF THE DISCLOSURE

A display unit containing a display is openably attached to a base unit of a laptop computer. While the laptop computer is not in use, the display unit is closed over the top face of the base unit with a display face of the display being inward. To use the laptop computer, the display unit is opened to form a desirable angle with the operation face of an input part on the base unit. A PC card slot is formed in the display unit, and a card can be mounted at a position away from a keyboard. Therefore, the card inserted into the PC card slot does not obstruct the operation of the input part. Particularly, if the PC card slot is arranged above at the top of the display, the signal transmission in the wireless communication using a wireless communication card can be performed efficiently and an operator of the personal computer can easily take a picture by a PC card camera.


F I G. 1



F I G. 2



F I G. 3



F I G. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8
PRIOR ART




FIG. 9
PRIOR ART





FIG. 10
PRIOR ART



BIRCH, STEWART, KOLASCH & BIRCH, LLP

P.O. Box 747 • Falls Church, Virginia 22040-0747

Telephone: (703) 205-8000 • Facsimile: (703) 205-8050

ATTORNEY DOCKET NO.

879-242P

PLEASE NOTE:
YOU MUST
COMPLETE THE
FOLLOWING:



COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT AND DESIGN APPLICATIONS

As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated next to my name; that I verily believe that I am the original, first and sole inventor (if only one inventor is named below) or an original, first and joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Insert Title: → ARRANGEMENT OF CARD SLOT IN LAPTOP COMPUTER

Fill in Appropriate
Information →

For Use
Without
Specification
Attached:

the specification of which is attached hereto. If not attached hereto,

the specification was filed on _____ as
United States Application Number _____;
and amended on _____ (if applicable); and/or
the specification was filed on _____ as PCT
International Application Number _____; and was
amended under PCT Article 19 on _____ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I do not know and do not believe the same was ever known or used in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to this application, that the same was not in public use or on sale in the United States of America more than one year prior to this application, that the invention has not been patented or made the subject of an inventor's certificate issued before the date of this application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns more than twelve months (six months for designs) prior to this application, and that no application for patent or inventor's certificate on this invention has been filed in any country foreign to the United States of America prior to this application by me or my legal representatives or assigns, except as follows.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(d) of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Priority Claimed	
<input checked="" type="checkbox"/>	<input type="checkbox"/>
Yes	No
<input type="checkbox"/>	<input type="checkbox"/>
Yes	No
<input type="checkbox"/>	<input type="checkbox"/>
Yes	No
<input type="checkbox"/>	<input type="checkbox"/>
Yes	No

I hereby claim the benefit under Title 35, United States Code, §119(e) of any United States provisional application(s) listed below.

(Application Number)	(Filing Date)
(Application Number)	(Filing Date)

All Foreign Applications, if any, for any Patent or Inventor's Certificate Filed More than 12 Months (6 Months for Designs) Prior to the Filing Date of This Application:

Country	Application Number	Date of Filing (Month / Day / Year)

I hereby claim the benefit under Title 35, United States Code, §120 of any United States and/or PCT application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States and/or PCT application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Number)	(Filing Date)	(Status — patented, pending, abandoned)
(Application Number)	(Filing Date)	(Status — patented, pending, abandoned)

Insert Prior U.S.
Application(s): →
(if any)

I hereby appoint the following attorneys to prosecute this application and/or an international application based on this application and to transact all business in the Patent and Trademark Office connected therewith and in connection with the resulting patent based on instructions received from the entity who first sent the application papers to the attorneys identified below, unless the inventor(s) or assignee provides said attorneys with a written notice to the contrary:

Raymond C. Stewart	(Reg. No. 21,066)	Terrell C. Birch	(Reg. No. 19,382)
Joseph A. Kolasch	(Reg. No. 22,463)	James M. Slattery	(Reg. No. 28,380)
Bernard L. Sweeney	(Reg. No. 24,448)	Michael K. Mutter	(Reg. No. 29,680)
Charles Gorenstein	(Reg. No. 29,271)	Gerald M. Murphy, Jr.	(Reg. No. 28,977)
Leonard R. Svensson	(Reg. No. 30,330)	Terry L. Clark	(Reg. No. 32,644)
Andrew D. Meikle	(Reg. No. 32,868)	Marc S. Weiner	(Reg. No. 32,181)
Joe McKinney Muncy	(Reg. No. 32,334)	C. Joseph Faraci	(Reg. No. 32,350)
Donald J. Daley	(Reg. No. 34,313)	John W. Bailey	(Reg. No. 32,881)
John A. Castellano	(Reg. No. 35,094)		

Send Correspondence to: **BIRCH, STEWART, KOLASCH & BIRCH, LLP**
 P.O. Box 747 • Falls Church, Virginia 22040-0747
 Telephone: (703) 205-8000 • Facsimile: (703) 205-8050

PLEASE NOTE:**YOU MUST****COMPLETE****THE****FOLLOWING:**

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of First or Sole Inventor
 Insert Name of Inventor →
 Insert Date This Document is Signed
 Insert Residence
 Insert Citizenship
 Insert Post Office Address
 Full Name of Second Inventor, if any
 see above

Full Name of Third Inventor, if any
 see above

Full Name of Fourth Inventor, if any
 see above

Full Name of Fifth Inventor, if any
 see above

GIVEN NAME Takeshi	FAMILY NAME MISAWA	INVENTOR'S SIGNATURE 	DATE* 10/20/1999
Residence (City, State & Country) Asaka-shi, Saitama, Japan		CITIZENSHIP Japanese	
POST OFFICE ADDRESS (Complete Street Address including City, State & Country) 11-46, Senzui 3-chome, Asaka-shi, Saitama, Japan			
GIVEN NAME	FAMILY NAME	INVENTOR'S SIGNATURE	DATE*
Residence (City, State & Country)		CITIZENSHIP	
POST OFFICE ADDRESS (Complete Street Address including City, State & Country)			
GIVEN NAME	FAMILY NAME	INVENTOR'S SIGNATURE	DATE*
Residence (City, State & Country)		CITIZENSHIP	
POST OFFICE ADDRESS (Complete Street Address including City, State & Country)			
GIVEN NAME	FAMILY NAME	INVENTOR'S SIGNATURE	DATE*
Residence (City, State & Country)		CITIZENSHIP	
POST OFFICE ADDRESS (Complete Street Address including City, State & Country)			
GIVEN NAME	FAMILY NAME	INVENTOR'S SIGNATURE	DATE*
Residence (City, State & Country)		CITIZENSHIP	
POST OFFICE ADDRESS (Complete Street Address including City, State & Country)			